

# FIBREGLASS DOUBLE EXTENSION LADDER



- Heavy-duty customised box channel, electrically non-conductive side rails
- Aluminium steps reduce overall weight
- Square steps provide stronger connection to channels, with anti slip features
- Wide stabilizer bar with PVC shoes for extra stability
- Rungs riveted onto channel for robustness and strength
- Mar-resistant end caps (PVC)
- Solid cast aluminium hooks and a smooth operating pulley with durable rope
- Interlocking side rails, guided by end caps, provide frictionless, non-marking movement



**ELECTRICALLY  
NON-CONDUCTIVE**

## FIBREGLASS DOUBLE EXTENSION LADDER

LOAD CAPACITY: 150 KG

ITEM CODE	STEPS	FOLDED HEIGHT		EXTENDED HEIGHT		APPROXIMATE WEIGHT
		METRES	FEET	METRES	FEET	KILOGRAMS
FGDE 5	10	1.8 x 1.8	5'11" x 5'11"	3.0	9'11"	9.0
FGDE 6	12	2.1 x 2.1	6'11" x 6'11"	3.6	11'10"	10.1
FGDE 7	14	2.4 x 2.4	7'10" x 7'10"	4.2	13'9"	11.3
FGDE 8	16	2.7 x 2.7	8'10" x 8'10"	4.8	15'9"	12.4
FGDE 9	18	3.0 x 3.0	9'10" x 9'10"	5.4	17'9"	13.8
FGDE 10	20	3.3 x 3.3	10'10" x 10'10"	6.0	19'8"	14.9
FGDE 11	22	3.6 x 3.6	11'10" x 11'10"	6.6	21'8"	16.1
FGDE 12	24	3.9 x 3.9	12'10" x 12'10"	7.2	23'7"	17.3
FGDE 13	26	4.2 x 4.2	13'9" x 13'9"	7.8	25'7"	18.5
FGDE 14	28	4.5 x 4.5	14'9" x 14'9"	8.4	27'7"	19.7
FGDE 15	30	4.8 x 4.8	15'9" x 15'9"	9.0	29'6"	20.8
FGDE 16	32	5.1 x 5.1	16'9" x 16'9"	9.6	31'6"	22.1
FGDE 17	34	5.4 x 5.4	17'9" x 17'9"	10.2	33'6"	23.2
FGDE 18	36	5.7 x 5.7	18'8" x 18'8"	10.8	35'5"	24.4
FGDE 19	38	6.0 x 6.0	19'8" x 19'8"	11.4	37'5"	25.5

TECHNICAL FEATURES ARE INDICATIVE AND CAN BE MODIFIED WITHOUT PRIOR NOTICE

Suited for electrical works:

Maintenance

Installation

Telecom Sectors

Electricity Providers

**TAKING YOU ONE STEP HIGHER**